

TUBI CARPENTERIA ELETTRISALDATI

DIAMETRO IN POLLICI	DIAMETRO ESTERNO mm.	SPESSORE mm.	PESO Kg/m
3/8"	16,75	2	0,73
1/2"	21,25	2,2	1,03
3/4"	26,75	2,35	1,49
1"	33,3	2,6	2,02
1" 1/4	42,25	3	2,89
1" 1/2	48,25	3	3,33
2"	60,3	3	4,22
2" 1/2	76,1	3	5,4
3"	88,9	3	6,36
3" 1/2	101,6	3	7,32
4"	114,3	3	8,21

TUBI ELETTRISALDATI CIRCOLARI

EURONORM 10025

UNI 7811

spess. Ø	2	2,5	3	4	5	6	7	8	9	10
89				8,38	10,36	12,29	14,17	15,99		
102				9,67	11,96	14,37	16,41	18,56		
108				10,26	12,70	15,09				
114				10,85	13,44	15,99	18,49	20,93		
127		7,68	9,17	12,13	15,04	17,90	20,74	23,50		
133		8,05	9,62	12,73	15,78	18,79	21,77	24,68		
139,7		8,46	10,11	13,39	16,61	19,78	22,93	26,00		
152			11,02	14,60	18,13	21,60	25,00	28,44		
159			11,54	15,29	18,99	22,64	26,24	29,82		
168			12,21	16,18	20,10	23,97	27,79	31,57		
177,8			12,94	17,16	21,33	25,45	29,52	33,54		
193,7			13,98	18,55	23,06	27,52	31,94	36,30		
219			15,98	21,21	26,39	31,06	39,59	41,61	46,63	51,57
244,5				23,75	29,57	35,33	41,05	46,71	52,33	57,90
273				26,54	33,05	39,55	45,97	52,34	58,67	64,94
323				31,56	39,92	46,30	54,70	62,32	69,89	77,41
339,7				33,15	41,32	49,44	57,50	65,52	73,49	81,41
335,6				34,72	43,28	51,79	60,25	68,86	77,02	85,33
406,4				39,74	49,55	59,32	69,03	78,70	88,31	97,88
457,2					55,83	66,84	77,81	88,73	99,60	110,42
508,0					62,10	74,37	86,59	98,77	110,89	122,97

TUBI TONDI SALDATI DA NASTRO

DIAMETRO	SPESSORE	PESO Kg/mq.
14	1	0,32
	1,2	0,38
	1,5	0,46
16	1	0,37
	1,2	0,44
	1,5	0,54
18	1	0,41
	1,2	0,49
	1,5	0,60
20	1	0,46
	1,2	0,55
	1,5	0,68
	2	0,88
22	1	0,51
	1,2	0,61
	1,5	0,75
	2	0,98
25	1	0,59
	1,2	0,70
	1,5	0,86
	2	1,13
28	1	0,65
	1,2	0,79
	1,5	0,97
	2	1,28
30	1	0,70
	1,2	0,85
	1,5	1,05
	2	1,37
	3	2,00
32	1	0,75
	1,2	0,90
	1,5	1,12
	2	1,47
35	1,2	0,98
	1,5	1,23
	2	1,62
	3	2,37
40	1,2	0,94
	1,5	1,41
	2	1,86
	3	2,72
42	1,2	1,18
	1,5	1,48
	2	1,96
	2	2,87
45	1,2	1,28
	1,5	1,60
	2	2,11
	3	3,09

DIAMETRO	SPESSORE	PESO Kg/mq.
48	1,2	1,36
	1,5	1,71
	2	2,25
50	3	3,31
	1,5	1,78
	2	2,35
52	3	4,01
	1,5	1,86
	2	2,45
55	1,5	1,97
	2	2,60
57	1,5	2,04
	2	2,69
	3	3,97
60	1,5	2,15
	2	2,84
	4	5,68
65	1,5	2,33
	2	3,09
70	1,5	2,52
	2	3,33
	3	4,92
	4	6,5
76	1,5	2,74
	2	3,62
	3	5,36
	4	7,3
80	1,5	2,90
	2	3,85
	3	5,70
83	1,5	3,01
	2	3,99
	3	5,92
	4	7,8
89	1,5	3,27
	2	4,26
	3	8,7
102	2	4,90
	3	7,27
108	2	5,23
	3	7,77
121	2	5,87
	3	8,73
	4	11,54
130	2	6,34

TUBI QUADRI SALDATI DA NASTRO

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
10 x 10	1,2	0,37
12 x 12	1,2	0,43
15 x 15	1,2	0,55
	1,5	0,68
	2	0,88
20 x 20	1,5	0,87
	2	1,13
	3	1,6
25 x 25	1,5	1,12
	2	1,47
	3	2,10
30 x 30	1,5	1,34
	2	1,76
	3	2,57
	4	3,38
35 x 35	1,5	1,60
	2	2,11
	3	3,09
	4	4,07
40 x 40	1,5	1,86
	2	2,45
	3	3,60
	4	4,70
45 x 45	1,5	2,04
	2	2,70
	3	4,05
50 x 50	1,5	2,30
	2	3,01
	3	4,45
	4	5,83
60 x 60	1,5	2,74
	2	3,62
	3	5,36
	4	7,05
70 x 70	1,5	3,21
	2	4,26
	3	6,32
	4	8,37
	5	10,42
80 x 80	2	4,90
	3	7,30
	4	9,50
	5	11,70
	6	13,90

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
90 x 90	2	5,50
	3	8,20
	4	10,80
	5	13,40
100 x 100	2	6,07
	3	9,15
	4	12,05
	5	15,15
	6	18,25
	7	21,35
	110 x 110	3
4		12,89
120 x 120	3	11,05
	4	14,60
	5	18,15
	6	21,65
150 x 150	3	14,00
	4	18,35
	5	22,70
	6	26,19
175 x 175	3	16,00
	4	21,22
	5	26,40
	6	30,9
200 x 200	3	17,3
	4	23,1
	5	28,86
	6	34,6
220 x 220	4	27,40
	5	34,20
	6	39,39
260 x 260	4	26,73
	5	33,12
	6	39,39
	7	45,55
	8	51,59
325 x 325	4	39,93
	5	49,62
	6	59,20
	7	68,66
	8	78,00

TUBI QUADRI SALDATI DA NASTRO

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
10 x 10	1,2	0,37
12 x 12	1,2	0,43
15 x 15	1,2	0,55
	1,5	0,68
	2	0,88
20 x 20	1,5	0,87
	2	1,13
	3	1,6
25 x 25	1,5	1,12
	2	1,47
	3	2,10
30 x 30	1,5	1,34
	2	1,76
	3	2,57
	4	3,38
35 x 35	1,5	1,60
	2	2,11
	3	3,09
	4	4,07
40 x 40	1,5	1,86
	2	2,45
	3	3,60
	4	4,70
45 x 45	1,5	2,04
	2	2,70
	3	4,05
50 x 50	1,5	2,30
	2	3,01
	3	4,45
	4	5,83
60 x 60	1,5	2,74
	2	3,62
	3	5,36
	4	7,05
70 x 70	1,5	3,21
	2	4,26
	3	6,32
	4	8,37
	5	10,42
80 x 80	2	4,90
	3	7,30
	4	9,50
	5	11,70
	6	13,90

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
90 x 90	2	5,50
	3	8,20
	4	10,80
	5	13,40
100 x 100	2	6,07
	3	9,15
	4	12,05
	5	15,15
	6	18,25
	7	21,35
	110 x 110	3
4		12,89
120 x 120	3	11,05
	4	14,60
	5	18,15
	6	21,65
150 x 150	3	14,00
	4	18,35
	5	22,70
	6	26,19
175 x 175	3	16,00
	4	21,22
	5	26,40
	6	30,9
200 x 200	3	17,3
	4	23,1
	5	28,86
	6	34,6
220 x 220	4	27,40
	5	34,20
	6	39,39
260 x 260	4	26,73
	5	33,12
	6	39,39
	7	45,55
	8	51,59
325 x 325	4	39,93
	5	49,62
	6	59,20
	7	68,66
	8	78,00

TUBI A SEZIONE RETTANGOLARE DA NASTRO

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
70 x 30	1,5	2,30
	2	3,01
	3	4,45
	4	5,83
70 x 35	1,5	2,40
	2	3,20
	3	4,70
70 x 40	1,5	2,52
	2	3,33
	3	4,92
	4	6,46
70 x 50	1,5	2,74
	2	3,62
	3	5,36
	4	7,05
80 x 15	1,5	2,10
	2	2,80
80 x 20	1,5	2,30
	2	3,01
	3	4,45
80 x 30	1,5	2,52
	2	3,33
	3	4,92
	4	6,46
80 x 40	1,5	2,74
	2	3,62
	3	5,36
	4	7,05

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
80 x 50	1,5	3,00
	2	3,97
	3	5,88
	4	7,74
80 x 60	1,5	3,21
	2	4,26
	3	6,32
	4	8,33
90 x 30	1,5	2,74
	2	3,62
	3	5,36
	4	7,05
90 x 50	3	6,36
	4	8,50
100 x 20	1,5	2,74
	2	3,62
	3	5,36
100 x 30	1,5	3,00
	2	3,97
	3	5,88
	4	7,66
100 x 40	1,5	3,22
	2	4,26
	3	6,32
	4	8,33
100 x 50	1,5	3,50
	2	4,60
	3	6,80
	4	8,90

TUBI A SEZIONE RETTANGOLARE DA NASTRO

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
100 x 60	2	4,90
	3	7,30
	4	9,50
100 x 80	3	8,40
	4	10,50
110 x 50	2	4,90
	3	7,30
120 x 30	2	4,60
	3	6,80
120 x 40	2	4,90
	3	7,30
	4	9,50
120 X 60	2	5,50
	3	8,20
	4	10,80
	5	13,16
	6	15,80
120 x 80	2	6,15
	3	9,15
	4	12,05
	5	14,24
130 x 50	2	5,50
	3	8,20
	4	10,80
130 x 60	2	7,48
	3	9,70
140 x 60	3	8,9
	4	11,64
140 x 70	3	9,80
	4	13,00
140 x 80	3	9,84
	4	12,89

DIMENSIONI mm.	SPESS. mm.	PESO Kg/m.
150 x 30	2	5,52
	3	8,19
150 x 40	2	5,90
	3	8,80
150 x 50	2	6,15
	3	9,15
	4	12,05
	6	21,47
150 x 100	3	11,70
	4	15,60
160 x 50	2	6,46
	3	9,60
160 x 80	3	11,60
	4	14,60
	5	17,38
	6	20,53
180 x 60	3	11,05
	4	14,60
	5	17,4
	6	20,53
180 x 80	3	11,73
	4	15,41
200 x 100	3	14,00
	4	18,35
	5	22,70
250 x 100	3	16,20
	4	21,50
	6	31,00
300 x 150	4	27,48
	5	33,9
	6	40,34


TUBIGAS COMMERCIALI (SERIE NORMALE)

SENZA SALDATURA E SALDATI
FILETTATI CON MANICOTTO DI GIUNZIONE
EURONORM 10025 - UNI 3824

POLLICI mm.	Diam. est. mm.	SENZA SALDATURA			SALDATI		
		Spessore mm.	Peso conv Kg/m.		Spessore mm.	Peso conv Kg/m.	
			senza manic.	con manic.		senza manic.	con manic.
1/8	10,2	1,80	0,369	0,372	1,80	0,361	0,364
1/4	13,5	2,00	0,573	0,577	1,80	0,517	0,521
3/8	17,2	2,00	0,747	0,753	1,80	0,674	0,680
1/2	21,3	2,35	1,10	1,11	2,00	0,952	0,961
3/4	26,9	2,35	1,41	1,42	2,35	1,41	1,42
1	33,7	2,90	2,21	2,23	2,65	2,01	2,03
1 1/4	42,4	2,90	2,84	2,87	2,65	2,58	2,61
1 1/2	48,3	2,90	3,26	3,30	2,90	3,25	3,29
2	60,3	3,25	4,56	4,63	2,90	4,11	4,18
2 1/2	76,1	3,25	5,81	5,93	3,25	5,80	5,92
3	88,9	3,65	7,65	7,82	3,25	6,81	6,98
3 1/2	101,6	3,65	8,77	8,95	3,65	8,74	8,92
4	114,3	4,05	11,00	11,30	3,65	9,89	10,20

TUBI STRUTTURALI QUADRI

QUALITÀ S 355J2G3 (FE 510 D1 - ST 52.3)




Dimensioni H x B mm	Spessore S mm	Massa M Kg./m
20 X 20	2,0	1,12
	2,5	1,35
25 X 25	2,0	1,43
	2,5	1,74
	3,0	2,04
	3,2	2,15
30 X 30	2,5	2,14
	3,0	2,51
	3,2	2,65
40 X 40	2,5	2,92
	3,0	3,45
	3,2	3,66
	4,0	4,46
	5,0	5,40
50 X 50	2,5	3,71
	3,0	4,39
	3,2	4,66
	4,0	5,72
	5,0	6,97
60 X 60	3,0	5,34
	3,2	5,67
	4,0	6,97
	5,0	8,54
	6,3	10,5
70 X 70	3,0	6,28
	3,6	7,46
	5,0	10,1
	6,3	12,5
	8,0	15,63
80 X 80	3,0	7,22
	3,6	8,59
	5,0	11,7
	6,3	14,4
	8,0	17,8
90 X 90	3,6	9,72
	5,0	13,3
	6,3	16,4
	8,0	20,4
100 X 100	4,0	12,0
	5,0	14,8
	6,3	18,4
	8,0	22,9
	10,0	27,9

Dimensioni H x B mm	Spessore S mm	Massa M Kg./m
120 X 120	5,0	18,0
	6,3	22,3
	8,0	27,9
	10,0	34,2
	12,5	41,6
140 X 140	5,0	21,1
	5,6	23,5
	6,3	26,3
	7,1	29,4
	8,0	32,9
150 X 150	10,0	40,4
	12,5	49,5
	5,0	22,7
	6,3	28,3
	8,0	35,4
180 X 180	10,0	43,6
	12,5	53,4
	16,0	66,4
	6,3	34,2
	8,0	43,0
200 X 200	10,0	53,0
	12,5	65,2
	16,0	81,4
	6,3	38,2
	8,0	48,0
250 X 250	10,0	59,3
	12,5	73,0
	16,0	91,5
	6,3	48,1
	8,0	60,5
300 X 300	10,0	75,0
	12,5	92,6
	16,0	117
	8,0	73,1
	10,0	90,7
350 X 350	12,5	112
	16,0	142
	8,0	85,7
	10,0	106
	12,5	132
400 X 400	16,0	167
	20,0	237
	10,0	122
	12,5	152
	16,0	192

spessori superiori a richiesta

TUBI STRUTTURALI RETTANGOLARI

QUALITÀ S 355J2G3 (FE 510 D1 - ST 52.3)



Dimensioni H x B mm	Spessore S mm	Massa M Kg./m
50 x 25	2,5	2,72
	3,0	3,22
	3,2	3,41
50 x 30	2,5	2,92
	3,0	3,45
	3,2	3,66
	4,0	4,46
60 x 40	2,5	3,71
	3,0	4,39
	3,2	4,66
	4,0	5,72
	5,0	6,97
80 x 40	3,0	5,34
	3,2	5,67
	4,0	6,97
	5,0	8,54
	6,3	10,5
	8,0	12,8
90 x 50	3,0	6,28
	3,6	7,46
	5,0	10,1
	6,3	12,5
	8,0	15,3
100 x 50	3,0	6,75
	3,2	7,18
	4,0	8,86
	5,0	10,9
	6,3	13,4
	8,0	16,6
100 x 60	3,0	7,22
	3,6	8,59
	5,0	11,7
	6,3	14,4
120 x 60	3,6	9,72
	5,0	13,3
	6,3	16,4
	8,0	20,4

Dimensioni H x B mm	Spessore S mm	Massa M Kg./m
120 x 80	5,0	14,8
	6,3	18,4
	8,0	22,9
	10,0	27,9
150 x 100	5,0	18,7
	6,3	23,3
	8,0	29,1
	10,0	35,7
	12,5	43,6
160 x 80	5,0	18,0
	6,3	22,3
	8,0	27,9
	10,0	34,2
	12,5	41,6
200 x 100	5,0	22,7
	6,3	28,3
	8,0	35,4
	10,0	43,6
	12,5	53,4
	16,0	66,4
250 x 150	6,3	38,2
	8,0	48,0
	10,0	59,3
	12,5	73,0
	16,0	91,5
300 x 200	6,3	48,1
	8,0	60,5
	10,0	75,0
	12,5	92,6
400 x 200	16,0	117
	8,0	73,1
	10,0	90,7
	12,5	112
450 x 250	16,0	142
	8,0	85,7
	10,0	106
	12,5	132
500 x 300	16,0	167
	10,0	122
	12,5	152
	16,0	192
	20,0	237

spessori superiori a richiesta